

IN THE UNITED STATES DISTRICT COURT  
FOR THE EASTERN DISTRICT OF TEXAS

ANTHONY CAIRNS,	)	
	)	
Plaintiff,	)	
	)	CIVIL ACTION
vs.	)	
	)	Case No. 4:23-CV-00186
NORIS CORPORATION,	)	
	)	
Defendant.	)	

**COMPLAINT**

COMES NOW, ANTHONY CAIRNS, by and through the undersigned counsel, and files this, his Complaint against Defendant, NORIS CORPORATION, pursuant to the Americans with Disabilities Act, 42 U.S.C. § 12181 *et seq.* (“ADA”) and the ADA’s Accessibility Guidelines, 28 C.F.R. Part 36 (“ADAAG”). In support thereof, Plaintiff respectfully shows this Court as follows:

**JURISDICTION**

1. This Court has original jurisdiction over the action pursuant to 28 U.S.C. §§ 1331 and 1343 for Plaintiff’s claims pursuant to 42 U.S.C. § 12181 *et seq.*, based upon Defendant’s failure to remove physical barriers to access and violations of Title III of the ADA.

**PARTIES**

2. Plaintiff, ANTHONY CAIRNS (hereinafter “Plaintiff”) is, and has been at all times relevant to the instant matter, a natural person residing in Dallas, Texas (Denton County).

3. Plaintiff is disabled as defined by the ADA.

4. Plaintiff is required to traverse in a wheelchair and is substantially limited in performing one or more major life activities, including but not limited to: walking and standing.

5. Plaintiff uses a wheelchair for mobility purposes.

6. In addition to being a customer of the public accommodation on the Property, Plaintiff is also an independent advocate for the rights of similarly situated disabled persons and is a “tester” for the purpose of enforcing Plaintiff’s civil rights, monitoring, determining and ensuring whether places of public accommodation are in compliance with the ADA. Her motivation to return to a location, in part, stems from a desire to utilize ADA litigation to make Plaintiff’s community more accessible for Plaintiff and others; and pledges to do whatever is necessary to demonstrate the plausibility of Plaintiff returning to the Property once the barriers to access identified in this Complaint are removed in order to strengthen the already existing standing to confer jurisdiction upon this Court so an injunction can be issued correcting the numerous ADA violations on this property. (“Advocacy Purposes”).

7. Defendant, NORIS CORPORATION (hereinafter “NORIS CORPORATION”), is a Texas corporation that transacts business in the State of Texas and within this judicial district.

8. Defendant, NORIS CORPORATION, may be properly served with process for service via its Registered Agent, to wit: c/o Artan Krasniqi, Registered Agent, 4101 E. Park Blvd., Plano, TX 75074.

### **FACTUAL ALLEGATIONS**

9. On or about February 18, 2023, Plaintiff was a customer at “Restaurante Y Tortilleri” a business located at 701 N. Highway 78, Wylie, TX 75098, referenced herein as “Restaurante Y Tortilleri”. Attached is a receipt documenting Plaintiff’s purchase. *See* Exhibit 1. Also attached is a photograph documenting Plaintiff’s visit to the Property. *See* Exhibit 2.

10. Defendant, NORIS CORPORATION, is the owner or co-owner of the real property and improvements that Restaurante Y Tortilleri is situated upon and that is the subject

of this action, referenced herein as the “Property.”

11. Plaintiff’s access to the business(es) located 701 N. Highway 78, Wylie, TX 75098, Collin County Property Appraiser’s property identification number 1610046 (“the Property”), and/or full and equal enjoyment of the goods, services, foods, drinks, facilities, privileges, advantages and/or accommodations offered therein were denied and/or limited because of his disabilities, and he will be denied and/or limited in the future unless and until Defendant, NORIS CORPORATION, is compelled to remove the physical barriers to access and correct the ADA violations that exist at the Property, including those set forth in this Complaint.

12. Defendant, NORIS CORPORATION, as property owner, is responsible for complying with the ADA for both the exterior portions and interior portions of the Property. Even if there is a lease between Defendant, NORIS CORPORATION and the tenant allocating responsibilities for ADA compliance within the unit the tenant operates, that lease is only between the property owner and the tenant and does not abrogate the Defendant’s independent requirement to comply with the ADA for the entire Property it owns, including the interior portions of the Property which are public accommodations. *See* 28 CFR § 36.201(b).

13. There are seventy-one marked parking spaces at the Property.

14. Plaintiff has visited the Property at least once before as a customer and advocate for the disabled. Plaintiff intends on revisiting the Property within six months after the barriers to access detailed in this Complaint are removed and the Property is accessible again. The purpose of the revisit is to be a return customer, to determine if and when the Property is made accessible and for Advocacy Purposes.

15. Plaintiff intends on revisiting the Property to purchase goods and/or services as a return customer living in the near vicinity as well as for Advocacy Purposes but does not intend

to re-expose himself to the ongoing barriers to access and engage in a futile gesture of visiting the public accommodation known to Plaintiff to have numerous and continuing barriers to access.

16. Plaintiff travelled to the Property as a customer and as an independent advocate for the disabled, encountered the barriers to access the Property that are detailed in this Complaint, engaged those barriers, suffered legal harm and legal injury, and will continue to suffer such harm and injury as a result of the illegal barriers to access present at the Property.

17. Although Plaintiff did not personally encounter each and every barrier to access identified in Plaintiff's Complaint, Plaintiff became aware of all identified barriers prior to filing the Complaint and because Plaintiff intends on revisiting the Property as a customer and advocate for the disabled within six months or sooner after the barriers to access are removed, it is likely that despite not actually encountering a particular barrier to access on one visit, Plaintiff may encounter a different barrier to access identified in the complaint in a subsequent visit as, for example, one accessible parking space may not be available and he would need to use an alternative accessible parking space in the future on his subsequent visit. As such, all barriers to access identified in the Complaint must be removed in order to ensure Plaintiff will not be exposed to barriers to access and legally protected injury.

18. Plaintiff's inability to fully access the Property and the stores within in a safe manner and in a manner which inhibits the free and equal enjoyment of the goods and services offered at the Property, both now and into the foreseeable future, constitutes an injury in fact as recognized by Congress and is historically viewed by Federal Courts as an injury in fact.

**COUNT I**  
**VIOLATIONS OF THE ADA AND ADAAG**

19. On July 26, 1990, Congress enacted the Americans with Disabilities Act 42

U.S.C. § 12101 *et seq.*

20. Congress found, among other things, that:
- (i) some 43,000,000 Americans have one or more physical or mental disabilities, and this number is increasing as the population as a whole is growing older;
  - (ii) historically, society has tended to isolate and segregate individuals with disabilities, and, despite some improvements, such forms of discrimination against individuals with disabilities continue to be a serious and pervasive social problem;
  - (iii) discrimination against individuals with disabilities persists in such critical areas as employment, housing public accommodations, education, transportation, communication, recreation, institutionalization, health services, voting, and access to public services;
  - (iv) individuals with disabilities continually encounter various forms of discrimination, including outright intentional exclusion, the discriminatory effects of architectural, transportation, and communication barriers, overprotective rules and policies, failure to make modifications to existing facilities and practices, exclusionary qualification standards and criteria, segregation, and relegation to lesser service, programs, activities, benefits, jobs, or other opportunities; and
  - (v) the continuing existence of unfair and unnecessary discrimination and prejudice denies people with disabilities the opportunity to compete on an equal basis and to pursue those opportunities for which our free society is justifiably famous, and costs the United States billions of dollars in unnecessary expenses resulting from dependency and non-productivity.

42 U.S.C. § 12101(a)(1) - (3), (5) and (9).

21. Congress explicitly stated that the purpose of the ADA was to:
- (i) provide a clear and comprehensive national mandate for the elimination of discrimination against individuals with disabilities;
  - (ii) provide a clear, strong, consistent, enforceable standards addressing discrimination against individuals with disabilities; and
- \* \* \* \* \*
- (iv) invoke the sweep of congressional authority, including the power to enforce the fourteenth amendment and to regulate commerce, in order to

address the major areas of discrimination faced day-to-day by people with disabilities.

42 U.S.C. § 12101(b)(1)(2) and (4).

22. The congressional legislation provided places of public accommodation one and a half years from the enactment of the ADA to implement its requirements.

23. The effective date of Title III of the ADA was January 26, 1992 (or January 26, 1993 if a defendant has 10 or fewer employees and gross receipts of \$500,000 or less). 42 U.S.C. § 12181; 28 C.F.R. § 36.508(a).

24. The Property is a public accommodation and service establishment.

25. Pursuant to the mandates of 42 U.S.C. § 12134(a), on July 26, 1991, the Department of Justice and Office of Attorney General promulgated federal regulations to implement the requirements of the ADA. 28 C.F.R. Part 36.

26. Public accommodations were required to conform to these regulations by January 26, 1992 (or by January 26, 1993 if a defendant has 10 or fewer employees and gross receipts of \$500,000 or less). 42 U.S.C. § 12181 *et seq.*; 28 C.F.R. § 36.508(a).

27. The Property must be, but is not, in compliance with the ADA and ADAAG.

28. Plaintiff has attempted to, and has to the extent possible, accessed the Property in his capacity as a customer at the Property as well as an independent advocate for the disabled, but could not fully do so because of his disabilities resulting from the physical barriers to access, dangerous conditions and ADA violations that exist at the Property that preclude and/or limit his access to the Property and/or the goods, services, facilities, privileges, advantages and/or accommodations offered therein, including those barriers, conditions and ADA violations more specifically set forth in this Complaint.

29. Plaintiff intends to visit the Property again in the very near future as a customer

and as an independent advocate for the disabled, in order to utilize all of the goods, services, facilities, privileges, advantages and/or accommodations commonly offered at the Property, but will be unable to fully do so because of his disability and the physical barriers to access, dangerous conditions and ADA violations that exist at the Property that preclude and/or limit his access to the Property and/or the goods, services, facilities, privileges, advantages and/or accommodations offered therein, including those barriers, conditions and ADA violations more specifically set forth in this Complaint.

30. Defendant, NORIS CORPORATION, has discriminated against Plaintiff (and others with disabilities) by denying his access to, and full and equal enjoyment of the goods, services, facilities, privileges, advantages and/or accommodations of the Property, as prohibited by, and by failing to remove architectural barriers as required by, 42 U.S.C. § 12182(b)(2)(A)(iv).

31. Defendant, NORIS CORPORATION, will continue to discriminate against Plaintiff and others with disabilities unless and until Defendant, NORIS CORPORATION, is compelled to remove all physical barriers that exist at the Property, including those specifically set forth herein, and make the Property accessible to and usable by Plaintiff and other persons with disabilities.

32. A specific list of unlawful physical barriers, dangerous conditions and ADA violations which Plaintiff experienced and/or observed, or was made aware of prior to the filing of this Complaint, that precluded and/or limited Plaintiff's access to the Property and the full and equal enjoyment of the goods, services, facilities, privileges, advantages and accommodations of the Property include, but are not limited to:

**ACCESSIBLE ELEMENTS:**

- i. In front of Unit G, the maneuvering clearance of this accessible entrance is not level in violation of Section 404.2.4.4 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access this unit of the Property since it is often necessary for individuals in wheelchairs to need to use their hands to both wheel through the doorway and keep the door open with another hand. When the maneuvering clearance is not level, this ordinarily difficult process is made even more difficult by the inappropriately higher slope.
- ii. In front of Unit F, due to a 2-inch vertical rise in front of the door, the maneuvering clearance of the accessible entrance is not level in violation of Section 404.2.4.4 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access this unit of the Property since it is often necessary for individuals in wheelchairs to need to use their hands to both wheel through the doorway and keep the door open with another hand. When the maneuvering clearance is not level, this ordinarily difficult process is made even more difficult by the presence of an excessive vertical rise.
- iii. In front of Unit F, due to a 2-inch vertical rise in front of the door, the maneuvering clearance of this accessible entrance is not level) in violation of Section 404.2.4.4 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access this unit of the Property since it is often necessary for individuals in wheelchairs to need to use their hands to both



wheel through the doorway and keep the door open with another hand. When the maneuvering clearance is not level, this ordinarily difficult process is made even more difficult by the inappropriately higher slope.

- iv. In front of Unit E, the maneuvering clearance of this accessible entrance is not level in violation of Section 404.2.4.4 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access this unit of the Property since it is often necessary for individuals in wheelchairs to need to use their hands to both wheel through the doorway and keep the door open with another hand. When the maneuvering clearance is not level, this ordinarily difficult process is made even more difficult by the inappropriately higher slope.
- v. Near the accessible entrance of Unit A, due to a policy of not having parking stops for the parking spaces directly in front of the exterior access route, cars routinely pull up all the way to the curb and the "nose" of the vehicle extends into the access route causing the exterior access route to routinely have clear widths below the minimum thirty-six (36") inch requirement specified by Section 403.5.1 of the 2010 ADAAG Standards. This barrier to access would make it dangerous and difficult for Plaintiff to access exterior public features of the Property as there is not enough clear width for Plaintiff's wheelchair.
- vi. Near the accessible entrance of Unit A, due to a policy of not having parking stops for the parking spaces directly in front of the exterior access route, cars routinely pull up all the way to the curb and the "nose" of the vehicle extends into the access route as a result, in violation of Section 502.7 of the 2010

ADAAG Standards, parking spaces are not properly designed so that parked cars and vans cannot obstruct the required clear width of adjacent accessible routes. This barrier to access would make it dangerous and difficult for Plaintiff to access exterior public features of the Property as there is not enough clear width for Plaintiff's wheelchair.

- vii. Near the accessible entrance of Unit A, due to the placement of a column as well as the glass enclosure for the accessible entrance, there are publicly accessible areas of the Property having accessible routes with clear widths below the minimum 36 (thirty-six) inch requirement as required by Section 403.5.1 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access the rest of the units of the Property as Plaintiff's wheelchair would not be able to get past this barrier.
- viii. Near the accessible entrance of Unit A, due to the placement of a column as well as the glass enclosure for the accessible entrance, the Property lacks an accessible route connecting accessible facilities, accessible elements and/or accessible spaces of the Property in violation of Section 206.2.2 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access public features of the Property.
- ix. Across the vehicular way from Unit A, there are two accessible parking spaces that are missing identification signs in violation of Section 502.6 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to locate an accessible parking space.

- x. Across the vehicular way from Unit A, there are two accessible parking spaces that are not located on the shortest distance to the accessible route leading to the accessible entrances in violation of Section 208.3.1 of the 2010 ADAAG Standards. This barrier to access would make it difficult and dangerous for Plaintiff to access the units of the Property from these accessible parking spaces as the far location increases the likelihood of traversing into the vehicular way and getting struck by a vehicle or encountering a barrier to access which stops Plaintiff from accessing the public accommodations offered at the Property.
- xi. Directly in front of Unit A, the access aisle to the two accessible parking spaces is not level due to the presence of an accessible ramp in the access aisle in violation of Section 502.4 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to exit and enter their vehicle while parked at the Property as the lift from the van may rest upon the ramp and create an unlevel surface.
- xii. Directly in front of Unit A, the accessible curb ramp is improperly protruding into the access aisle of the accessible parking spaces in violation of Section 406.5 of the 2010 ADAAG Standards. This barrier to access would make it dangerous and difficult for Plaintiff to exit and enter their vehicle while parked at the Property as the lift from the van may rest upon the ramp and create an unlevel surface.
- xiii. Directly in front of Unit A, the accessible ramp side flares have a slope in excess of 1:10 in violation of Section 406.3 of the 2010 ADAAG standards.

This barrier to access would make it dangerous and difficult for Plaintiff to access the units of the Property because steep slopes on ramp side flares could cause the wheelchair to tip over and injure Plaintiff.

- xiv. Directly in front of Unit A, there are two accessible parking spaces that are missing identification signs in violation of Section 502.6 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to locate an accessible parking space.
- xv. Due to the barriers to access identified in (i) to (iv), not all entrance doors and doorways comply with Section 404 of the 2010 ADAAG standards, this is a violation of Section 206.4 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access the units of the Property.
- xvi. Due to the barriers to access identified in (i) to (iv), the Property lacks an accessible route connecting accessible facilities, accessible elements and/or accessible spaces of the Property in violation of Section 206.2.2 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access public features of the Property.
- xvii. Defendant fails to adhere to a policy, practice and procedure to ensure that all facilities are readily accessible to and usable by disabled individuals.

#### **RESTAURANTE Y TORTILLERI RESTROOMS**

- xviii. The restroom lacks signage in compliance with Sections 216.8 and 703 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to locate accessible restroom facilities.

- xix. The door to the restrooms has a maximum clear width below 32 (thirty-two) inches in violation of Section 404.2.3 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to safely utilize the restroom facilities as wheelchair typically has a clear width of between 30 and 32 inches and the wheelchair will not be able to fit through the doorway to access the restroom. In the case that the wheelchair may barely fit through, the tight doorway would likely injure Plaintiff's hands as they could get caught between the wheel and the doorway.
- xx. The door hardware providing access to the restrooms requires tight grasping and twisting of the wrist in violation of Section 404.2.7 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to utilize the restroom facilities.
- xxi. The restrooms have grab bars adjacent to the commode which are not in compliance with Section 604.5 of the 2010 ADAAG standards as the rear bar is missing. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to safely transfer from the wheelchair to the toilet and back to the wheelchair.
- xxii. The distance of the centerline of the toilet is more than 18" from the side wall. As a result, the toilet is not adequately positioned from the side wall or partition positioning in violation of Section 604.2 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to safely utilize the restroom facilities.

xxiii. The restrooms have grab bars adjacent to the commode which are not in compliance with Section 604.5.1 of the 2010 ADAAG standards as the side bar is located more than 12” from the rear wall. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to safely transfer from the wheelchair to the toilet and back to the wheelchair.

xxiv. Restrooms have a vanity sink with inadequate knee and toe clearance in violation of Section 306 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to utilize the restroom sink as Plaintiff is seated in a wheelchair and, when seated, Plaintiff’s feet and legs protrude out in front. In order to properly utilize a sink, Plaintiff’s legs must be able to be underneath the surface of the sink, but due to the improper configuration of the sink, there is no room underneath for Plaintiff’s legs and feet.

33. The violations enumerated above may not be a complete list of the barriers, conditions or violations encountered by Plaintiff and/or which exist at the Property.

34. Plaintiff requires an inspection of the Property in order to determine all of the discriminatory conditions present at the Property in violation of the ADA.

35. The removal of the physical barriers, dangerous conditions and ADA violations alleged herein is readily achievable and can be accomplished and carried out without significant difficulty or expense. 42 U.S.C. § 12182(b)(2)(A)(iv); 42 U.S.C. § 12181(9); 28 C.F.R. § 36.304.

36. All of the violations alleged herein are readily achievable to modify to the Property into compliance with the ADA.

37. Upon information and good faith belief, the removal of the physical barriers and

dangerous conditions present at the Property is readily achievable because the nature and cost of the modifications are relatively low.

38. Upon information and good faith belief, the removal of the physical barriers and dangerous conditions present at the Property is readily achievable because Defendant, NORIS CORPORATION, has the financial resources to make the necessary modifications. According to the Property Appraiser, appraised value of the Property is \$1,162,950.

39. The removal of the physical barriers and dangerous conditions present at the Property is also readily achievable because Defendant has available to it a \$5,000.00 tax credit and up to a \$15,000.00 tax deduction from the IRS for spending money on accessibility modifications.

40. Upon information and good faith belief, the Property has been altered since 2010.

41. In instances where the 2010 ADAAG standards do not apply, the 1991 ADAAG standards apply, and all of the alleged violations set forth herein can be modified to comply with the 1991 ADAAG standards.

42. Plaintiff is without adequate remedy at law, is suffering irreparable harm, and reasonably anticipates that he will continue to suffer irreparable harm unless and until Defendant, NORIS CORPORATION, is required to remove the physical barriers, dangerous conditions and ADA violations that exist at the Property, including those alleged herein.

43. Plaintiff's requested relief serves the public interest.

44. The benefit to Plaintiff and the public of the relief outweighs any resulting detriment to Defendant, NORIS CORPORATION.

45. Plaintiff's counsel is entitled to recover its reasonable attorney's fees and costs of litigation from Defendant, NORIS CORPORATION, pursuant to 42 U.S.C. §§ 12188 and 12205.

46. Pursuant to 42 U.S.C. § 12188(a), this Court is provided authority to grant injunctive relief to Plaintiff, including the issuance of an Order directing Defendant, NORIS CORPORATION, to modify the Property to the extent required by the ADA.

WHEREFORE, Plaintiff prays as follows:

- (a) That the Court find Defendant, NORIS CORPORATION, in violation of the ADA and ADAAG;
- (b) That the Court issue a permanent injunction enjoining Defendant, NORIS CORPORATION, from continuing their discriminatory practices;
- (c) That the Court issue an Order requiring Defendant, NORIS CORPORATION to
  - (i) remove the physical barriers to access and (ii) alter the Property to make it readily accessible to and useable by individuals with disabilities to the extent required by the ADA;
- (d) That the Court award Plaintiff his reasonable attorneys' fees, litigation expenses and costs; and
- (e) That the Court grant such further relief as deemed just and equitable in light of the circumstances.

Dated: March 8, 2023

Respectfully submitted,

/s/ Douglas S. Schapiro  
Douglas S. Schapiro, Esq.  
Southern District of Texas ID No. 3182479  
The Schapiro Law Group, P.L  
7301-A W. Palmetto Park Rd., #100A  
Boca Raton, FL 33433  
Tel: (561) 807-7388  
Email: [schapiro@schapirolawgroup.com](mailto:schapiro@schapirolawgroup.com)